



EC Declaration of Conformity

No.
E12/14351/07



Year of issue
07

We

FAKRO PP Sp. z o.o.
ul. Węgierska 144a
33-300 Nowy Sącz, Poland

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC.

Product description:

Roof window type PT.. and flashings intended to be used in domestic and commercial location

Applied harmonised standard:

EN 14351-1:2006

Characteristics:	PTP	PTP-V	PTL	PTL-V
Resistance to wind load – Test pressure	Class 4	Class 4	Class 4	Class 4
Resistance to wind load – Frame deflection	Class C	Class C	Class C	Class C
Resistance to snow load	4H-16-4T*	4H-16-4T*	4H-16-33.1T* 4H-14-33.1T*	4H-16-33.1T* 4H-14-33.1T*
Reaction to fire	npd	npd	npd	npd
External fire performance	npd	npd	npd	npd
Watertightness – Non-shielded (A)	Class E1200	Class E1200	Class E1200	Class E1200
Impact resistance [mm]	450	450	450	450
Load-bearing capacity of safety device	Threshold value	Threshold value	Threshold value	Threshold value
Acoustic performance [dB]	33 (-1;-5)	33 (-1;-5)	35 (-1;-4)	35 (-1;-4)
Thermal transmittance	1,5	1,5	1,5	1,5
Radiation properties - Solar factor	0,61	0,61	0,61	0,61
Radiation properties – Light transmittance	0,79	0,79	0,79	0,79
Air permeability	Class 4	Class 3	Class 4	Class 3

* H - toughened glass

T - low emission coating

npd – no performance determined

The name and the address of the notified laboratory: Centre of Building Construction Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic

Ift Rosenheim (Notified Body No 0757), Theodor-Gietl-Str. 7-9, 83026 Rosenheim, Germany

Nowy Sącz, 01.08.2007

FAKRO® PP Sp. z o.o. ⁻²⁻
33-300 Nowy Sącz, ul. Węgierska 144a
tel. 0-18 444-0-444 fax 444-0-333
NIP 734-28-87-530 Regon 492727063

Ewa Łukaszczyk-Haslik
Kierownik Działu Certyfikacji
i Kontroli Jakości